

	Type	L #	Hits	Search Text	DBs
1	BRS	L1	386	( freez\$4 ) near3 ( bone vertebra\$5 limb skeleton )	USPAT; US-PGPUB; EPO; JPO; DERWENT
2	BRS	L2	620	"15" and ( clean\$5 ) near3 ( bone vertebra\$5 limb skeleton )	USPAT; US-PGPUB; EPO; JPO; DERWENT
3	BRS	L3	48	1 and ( clean\$5 ) near3 ( bone vertebra\$5 limb skeleton )	USPAT; US-PGPUB; EPO; JPO; DERWENT
4	BRS	L6	3	5 and ( densit\$5 )	USPAT; US-PGPUB; EPO; JPO; DERWENT
5	BRS	L4	23	3 and ( weigh\$5 meas\$6 ) near3 ( bone vertebra\$4 limb skeleton )	USPAT; US-PGPUB; EPO; JPO; DERWENT
6	BRS	L5	12	4 and ( compress\$5 squeez\$4 )	USPAT; US-PGPUB; EPO; JPO; DERWENT
7	BRS	L7	2562	( cancellous ) near2 ( bone vertebra\$5 limb skeleton )	USPAT; US-PGPUB; EPO; JPO; DERWENT
8	BRS	L8	421	7 and ( freez\$4 )	USPAT; US-PGPUB; EPO; JPO; DERWENT
9	BRS	L9	142	8 and ( clean\$5 )	USPAT; US-PGPUB; EPO; JPO; DERWENT
10	BRS	L10	130	9 and ( weigh\$5 meas\$6 )	USPAT; US-PGPUB; EPO; JPO; DERWENT

	Time Stamp	Comments	Error Definition	Errors
1	2003/09/02 13:14			0
2	2003/09/02 13:08			0
3	2003/09/02 13:14			0
4	2003/09/02 13:29			0
5	2003/09/02 13:14			0
6	2003/09/02 13:14			0
7	2003/09/02 13:14			0
8	2003/09/02 13:14			0
9	2003/09/02 13:14			0
10	2003/09/02 13:14			0

	Type	L #	Hits	Search Text	DBs
11	BRS	L11	78	10 and ( compress\$5 squeez\$4 )	USPAT; US-PGPUB; EPO; JPO; DERWENT
12	BRS	L12	42	11 and ( densit\$5 )	USPAT; US-PGPUB; EPO; JPO; DERWENT
13	BRS	L13	19	3 and ( densit\$5 )	USPAT; US-PGPUB; EPO; JPO; DERWENT

	Time Stamp	Comments	Error Definition	Errors
11	2003/09/02 13:14			0
12	2003/09/02 13:14			0
13	2003/09/02 13:29			0

	Type	L #	Hits	Search Text	DBs
1	BRS	L1	33734	( non-destruct\$5 nondestruct\$5 )	USPAT; US-PGPUB; EPO; JPO; DERWENT
2	BRS	L2	4647	1 and ( compress\$5 )	USPAT; US-PGPUB; EPO; JPO; DERWENT
3	BRS	L3	1593	2 and ( densit\$5 )	USPAT; US-PGPUB; EPO; JPO; DERWENT
4	BRS	L4	1295	3 and ( compar\$5 )	USPAT; US-PGPUB; EPO; JPO; DERWENT
5	BRS	L5	1157	4 and ( cancel\$5 eliminat\$5 expel\$5 remov\$5 )	USPAT; US-PGPUB; EPO; JPO; DERWENT
6	BRS	L7	1029	5 and ( strength durab\$4 toughness solid\$4 rigid\$4 )	USPAT; US-PGPUB; EPO; JPO; DERWENT
7	BRS	L9	46	8 and ( clean\$5 )	USPAT; US-PGPUB; EPO; JPO; DERWENT
8	BRS	L10	16	9 and ( freez\$4 )	USPAT; US-PGPUB; EPO; JPO; DERWENT
9	BRS	L8	135	7 and ( cancellous bone vertebra\$5 )	USPAT; US-PGPUB; EPO; JPO; DERWENT
10	BRS	L6	139	5 and ( cancellous bone vertebra\$5 )	USPAT; US-PGPUB; EPO; JPO; DERWENT
11	BRS	L11	123	6 and ( volume )	USPAT; US-PGPUB; EPO; JPO; DERWENT
12	BRS	L12	81	11 and ( weigh\$4 )	USPAT; US-PGPUB; EPO; JPO; DERWENT
13	BRS	L13	2446	( non-destruct\$5 nondestruct\$5 ).clm.	USPAT; US-PGPUB; EPO; JPO; DERWENT
14	BRS	L14	156	13 and ( compress\$5 ).clm.	USPAT; US-PGPUB; EPO; JPO; DERWENT
15	BRS	L15	11	14 and ( densit\$5 ).clm.	USPAT; US-PGPUB; EPO; JPO; DERWENT
16	BRS	L16	7	15 and ( compar\$5 )	USPAT; US-PGPUB; EPO; JPO; DERWENT
17	BRS	L17	4	16 and ( cancel\$5 eliminat\$5 expel\$5 remov\$5 )	USPAT; US-PGPUB; EPO; JPO; DERWENT
18	BRS	L18	3	17 and ( strength durab\$4 toughness solid\$4 rigid\$4 )	USPAT; US-PGPUB; EPO; JPO; DERWENT
19	BRS	L19	1	18 and ( cancellous bone vertebra\$5 )	USPAT; US-PGPUB; EPO; JPO; DERWENT
20	BRS	L20	541	13 and ( compress\$5 )	USPAT; US-PGPUB; EPO; JPO; DERWENT

	Time Stamp	Comments	Error Definition	Errors
1	2003/08/29 10:16			0
2	2003/08/29 10:16			0
3	2003/08/29 10:16			0
4	2003/08/29 10:17			0
5	2003/08/29 10:17			0
6	2003/08/29 10:17			0
7	2003/08/29 10:10			0
8	2003/08/29 10:10			0
9	2003/08/29 10:17			0
10	2003/08/29 10:14			0
11	2003/08/29 10:14			0
12	2003/08/29 10:15			0
13	2003/08/29 10:16			0
14	2003/08/29 10:18			0
15	2003/08/29 10:18			0
16	2003/08/29 10:18			0
17	2003/08/29 10:18			0
18	2003/08/29 10:18			0
19	2003/08/29 10:18			0
20	2003/08/29 10:18			0

	Type	L #	Hits	Search Text	DBs
21	BRS	L21	148	20 and ( densit\$5 )	USPAT; US-PGPUB; EPO; JPO; DERWENT
22	BRS	L22	111	21 and ( compar\$5 )	USPAT; US-PGPUB; EPO; JPO; DERWENT
23	BRS	L23	85	22 and ( cancel\$5 eliminat\$5 expel\$5 remov\$5 )	USPAT; US-PGPUB; EPO; JPO; DERWENT
24	BRS	L24	63	23 and ( strength durab\$4 toughness solid\$4 rigid\$4 )	USPAT; US-PGPUB; EPO; JPO; DERWENT
25	BRS	L25	7	24 and ( cancellous bone vertebra\$5 )	USPAT; US-PGPUB; EPO; JPO; DERWENT

	Time Stamp	Comments	Error Definition	Errors
21	2003/08/29 10:18			0
22	2003/08/29 10:18			0
23	2003/08/29 10:18			0
24	2003/08/29 10:18			0
25	2003/08/29 10:18			0



	Type	L #	Hits	Search Text
1	BRS	L1	2429	( strength durab\$4 resistance toughness solidity ) near2 ( bone vertebra\$4 )
2	BRS	L2	1040	1 and ( compress\$4 squeez\$4 )
3	BRS	L3	428	2 and ( density )
4	BRS	L4	340	3 and ( compar\$5 )
5	BRS	L5	321	4 and ( eliminat\$5 remov\$4 expel\$5 )
6	BRS	L6	138	5 and ( cancellous )
7	BRS	L7	132	6 and ( evaluat\$5 test\$5 study\$5 determin\$5 )
8	BRS	L8	7	7 and ( 73/\$9.ccls. )
9	BRS	L9	33	7 and ( clean\$4 )
10	BRS	L12	5	11 and ( volume )
11	BRS	L11	7	10 and ( weigh\$4 )
12	BRS	L10	8	9 and ( freez\$4 )
13	BRS	L13	51	( evaluat\$5 test\$5 study\$5 determin\$5 ) near3 ( cancellous ) near3 ( bone vertebra\$4 )
14	BRS	L14	18	13 and ( compress\$4 squeez\$4 )
15	BRS	L15	11	14 and ( density )
16	BRS	L16	9	15 and ( strength durab\$4 resistance toughness solidity )
17	BRS	L17	9	16 and ( eliminat\$5 remov\$4 expel\$5 )
18	BRS	L18	8	17 and ( compar\$4 )
19	BRS	L19	5	73/172.ccls.

	DBs	Time Stamp	Comments	Error Definition	Errors
1	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/08/27 14:14			0
2	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/08/27 14:28			0
3	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/08/27 14:34			0
4	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/08/27 14:34			0
5	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/08/27 14:15			0
6	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/08/27 14:05			0
7	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/08/27 14:15			0
8	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/08/27 14:07			0
9	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/08/27 14:31			0
10	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/08/27 14:31			0
11	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/08/27 14:31			0
12	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/08/27 14:31			0
13	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/08/27 14:10			0
14	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/08/27 14:11			0
15	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/08/27 14:11			0
16	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/08/27 14:11			0
17	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/08/27 14:29			0
18	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/08/27 14:12			0
19	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/08/27 14:13			0

	Type	L #	Hits	Search Text
20	BRS	L20	162317	73/\$9.ccls.
21	BRS	L21	623	20 and ( bone vertebra\$4 )
22	BRS	L22	317	21 and ( strength durab\$4 resistance toughness solidity )
23	BRS	L23	141	22 and ( compress\$4 squeez\$4 )
24	BRS	L24	48	23 and ( density )
25	BRS	L25	43	24 and ( compar\$5 )
26	BRS	L26	40	25 and ( eliminat\$5 remov\$4 expel\$5 )
27	BRS	L27	40	26 and ( evaluat\$5 test\$5 study\$5 determin\$5 )
28	BRS	L28	15	20 and ( evaluat\$5 test\$5 study\$5 determin\$5 ) near3 ( strength durab\$4 solidity toughness rigidi\$5 ) near3 ( bone )
29	BRS	L29	2555	cancellous near2 ( bone vertebra\$4 )
30	BRS	L30	1838	29 and ( strength durab\$4 resistance toughness solidity rigid\$4 )
31	BRS	L31	1080	30 and ( compress\$4 squeez\$4 )
32	BRS	L32	428	31 and ( densi\$4 )
33	BRS	L33	364	32 and ( eliminat\$5 remov\$4 expel\$5 )
34	BRS	L34	307	33 and ( compar\$5 )
35	BRS	L35	330	33 and ( evaluat\$5 test\$5 study\$5 determin\$5 )
36	BRS	L36	75	35 and ( clean\$4 )
37	BRS	L37	68	36 and ( volume )

	DBs	Time Stamp	Comments	Error Definition	Errors
20	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/08/27 14:14			0
21	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/08/27 14:24			0
22	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/08/27 14:28			0
23	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/08/27 14:14			0
24	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/08/27 14:14			0
25	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/08/27 14:29			0
26	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/08/27 14:15			0
27	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/08/27 14:30			0
28	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/08/27 14:28			0
29	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/08/27 14:33			0
30	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/08/27 14:34			0
31	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/08/27 14:33			0
32	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/08/27 14:29			0
33	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/08/27 14:29			0
34	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/08/27 14:30			0
35	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/08/27 14:30			0
36	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/08/27 14:31			0
37	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/08/27 14:31			0

	Type	L #	Hits	Search Text
38	BRS	L38	61	37 and ( weigh\$4 )
39	BRS	L39	21	38 and ( freez\$4 )
40	BRS	L40	315	cancellous near2 ( bone vertebra\$4 ).clm.
41	BRS	L41	73	40 and ( compress\$4 squeez\$4 ).clm.
42	BRS	L42	31	41 and ( densit\$4 )
43	BRS	L43	15	42 and ( compar\$5 )
44	BRS	L44	14	43 and ( strength durab\$4 resistance toughness solidity rigid\$4 )

	<b>DBs</b>	<b>Time Stamp</b>	<b>Comments</b>	<b>Error Definition</b>	<b>Errors</b>
38	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/08/27 14:31			0
39	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/08/27 14:31			0
40	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/08/27 14:33			0
41	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/08/27 14:34			0
42	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/08/27 14:34			0
43	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/08/27 14:34			0
44	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/08/27 14:35			0